पंजीकृत संख्या-यू०ए०/डी०वरं०/डी०डी०एन०/३०/२००९-11

(लाइसेन्स दू शेस्ट विदाचट प्रीपेभेन्ट)



सरकारी गजट, उत्तराखण्ड

उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की

खण्ड-10] रुड़की, शनिवार, दिनांक 11 अप्रैल, 2009 ई0 (वैत्र 21, 1931 शक सम्वत्)

सिख्या-15

विषय-सूची

प्रत्येक भाग के पृष्ठ अलग-अलग दिये गए हैं, जिससे उनके अलग-अलग खण्ड बन सके वार्षिक चन्दा पुष्ठ संख्या विषय राग्पण गजट का मृत्य 2075 माग १-विद्यप्ति-अवकाश, नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस 111-119 1500 माग 1-क-नियम, कार्य विधिया, आझाए, विज्ञप्तिया इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के अध्यक्ष तथा राजस्व परिषद् ने जारी किया 1500 भाग 2-आडाए, विडाप्तिया, नियम और नियम विधान, जिनको केन्द्रीय सरकार और अन्य राज्यों की सरकारों ने जारी किया, हाई कोर्ट की विज्ञप्तियां. भारत सरकार के गजट और दसरे राज्यों के गजटों के उद्धरण 975 भाग ५-स्वायत शासन विभाग का क्रोड-पत्र, नगर प्रशासन, नोटीफाइड एरिया, टाउन एरिया एवं निर्वाचन (स्थानीय निकाय) तथा पंचायतीराज आदि के निदेश जिन्हें विभिन्न अध्युक्तों अथवा जिलाधिकारियों ने जारी किया 976 माग 4--निदेशक, शिक्षा विभाग, उत्तराखण्ड 975 माग ५--एकाउन्टेन्ट जनरस, उत्तराखण्ड माग 6-बिल, जो भारतीय संसद में प्रस्तुत किए गए या प्रस्तुत किए जाने से पहले प्रकाशित किए गए तथा सिलेक्ट कमेटियों की रिपोर्ट 975 भाग 7-इलेक्शन कमीशन ऑफ इण्डिया की अनुविहित तथा अन्य निर्वाचन सम्बन्धी विज्ञप्तियां 976 माग 8-सूचना एवं अन्य वैयक्तिक विज्ञापन आदि 975 स्टोर्स पर्चेज-स्टोर्स पर्चेज विमाग का क्रोस-पत्र आदि 1426

1 3

भाग 1

विज्ञप्ति-अवकाश, नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे दैयक्तिक नोटिस

गृह विभाग

अधिस्चना

26 मार्च: 2009 ई०

संस्था 265/XX(1)/74/पीपीएस/2007—अधोहस्ताक्षरी को यह कहने का निदेश हुआ है कि श्री अशोक कुमार भट्ट, पुत्र स्व० श्री लिखत मोहन भट्ट, निवासी 275, जीवबीठ पन्त मार्ग, हल्हानी, नैनीताल का स्थायी पता परिवर्तित करते हुए भविष्य में अपना स्थायी पता ग्राम—सिरतोली, पट्टी—जनकाण्डे, तहसील—लोहाघाट, जिला चम्पावत लिखने की राज्यपाल महोदय सहर्ष स्वीकृति ग्रदान करते हैं।

अधिसूचना

26 मार्च, 2009 ई0

संख्या 268/XX(1)/366/विविध/2004—युद्धाभ्यास और खुले क्षेत्र में गोला चलाने तथा तांप दागने का अभ्यास अधिनियम, 1938 (अधिनियम संख्या 5, सन् 1938) की घारा 9 की उपघारा (1) के अधीन शक्ति का प्रयोग करते हुए राज्यपाल महोदय निम्नलिखित विनिर्दिष्ट क्षेत्र को ऐसा क्षेत्र परिभाषित करते हैं, जिसमें दिनांक 01—07—2008 को प्रारम्भ होने वाली और दिनांक 30—06—2013 को समाप्त होने, वाली पांच वर्षों की अवधि में, जिस पर खुले क्षेत्र में नियतकालिक गोला चलाने और तोप दागने का अभ्यास किया जाना प्राधिकृत किया जा सकता है —

क्षेत्र का विवरण

जिले का नाम	तहसील का नाम	साम का नाम	गाटा (प्लॉट) का नाम, क्षेत्रफल
पिथाँशगद	बीडीहाट	हाटथर्य	खेत संख्या 2505 मध्ये 7 नाली
			खेत सख्या 2508 मध्ये 8 मुठ्ठी
		2000	खेत संख्या 2528 मध्ये 5 नाली
		461 1111	खेत संख्या 2529 मध्ये 1 नाली
			खेत सख्या 2687 मध्ये 7 नाली
		THE RESERVE OF STREET	खेत संख्या 2628 मध्ये 4 नाली

टिप्पणी-उक्त भूमि का स्थल नक्शा (साइट-प्लान) पिथारागढ़ के जिलाधिकारी के कार्यालय में देखा जा सकता

श्री राज्यपाल की आज्ञा से,

सुमाय कुमार, प्रमुख सचिव।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 268/XX(1)/366/Misc/2004, dated March 26, 2009 for general information:

NOTIFICATION

March 26, 2009

No. 268/XX(1)/366/Misc./2004--In exercise of the powers under sub-section (1) of section 9 of the Mandeuvres. Field firing and Artillery Practice Act, 1938 (Act No. V of 1938), the Governor is pleased to define the area specified below as the area within which the carrying out periodically of Field Firing and Artillery Practice may be authorised for a period of five years commencing on July 01, 2008 and ending with June 30, 2013

	D	ETAILS OF THE AREA	10 1 10
Name of District	Name of Tehsil	Name of Village	Name, Area of the Plot
Pithoragarh	Didihat	Hattharp	Under Field 2505 7 Nali
		The latest and the la	Under Field 2506 8 Mutth
			Under Field 2528 5 Nall
			Under Field 2529 1 Nali
			Under Field 2567 7 Nali
			Under Field 2628 4 Nail

Note: -A site plan of the land may be inspected in the office of the Collector, Pithoragarh.

By Order of the Governor,

SUBHASH KUMAR, Principal Secretary

वित्त विभाग

अधिसूचना

26 फरवरी, 2009 ईं0

संख्या 134/XXVII(8)/वाणि० कर (वैट)/2008-उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर अधिनियम, 2008 की धारा 14 की उपधारा (3) के साथ पठित भारत का संविधान के अनुच्छेद 283 के खण्ड (2) द्वारा प्रदत्त शक्तियों का प्रयोग करके, राज्यपाल निम्नलिखित गियमायली बनाते हैं :--

उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर (निधि) नियगावली, 2009

1. संक्षिप्त नाम एवं प्रारम्भ-

- (1) यह नियमावली उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर (निधि) नियमावली, 2009 कही जायेगी
- (2) यह तुरन्त प्रवृत्त होगी।

2 परिभाषाएं--

जब तक इस सन्दर्भ में अन्यथा अपेक्षित न हो, इस नियमावली में-

- (क) "समिति" से नियम 4 के उपनियम (1) के अधीन गठित समिति अभिप्रेत हैं,
- (ख) "अधिनियम" से उत्तराखण्ड माल के स्थानीय क्षेत्रों में प्रवेश पर कर अधिनियम, 2008 अमिप्रेत हैं:
- (ग) इस नियमावली में प्रयुक्त किन्तु अपरिभाषित शब्दों एवं पदों के वही अर्थ होंगे जो अधिनियम में उनके लिए समनुदेशित हैं।

3. निधि की धनराशि का उपयोग-

- (1) निधि में उपलब्ध धनशशि का उपयोग, अधिनियम की धारा 14 के उपबन्धित प्रयोजनों के लिए किया जायेगा।
- (2) निधि की धनराशि पर प्रोदभूत ब्याज की घनराशि निधि में सम्मिलित की जायेगी तथा उसका उपयोग उपनियम (1) के अनुसार किया जायेगा।

4 निधि के उपयोग की रीति-

(1) निधि में घनराशि के उपयोग की मदों एवं मानदण्डों का अवधारण ऐसी समिति द्वारा किया जायेगा जिसे उत्तराखण्ड व्यापार विकास निधि प्रबन्धन समिति के रूप में जाना जाएगा जिसमें निम्नलिखित होंगे :-

(i)).	मुख्य सचिव, उत्तराखण्ड शासन	—अध्यक्ष
(ii	()	प्रमुख सचिव, वित्त, उत्तराखण्ड शासन	—सदस्य
(i)	(H	प्रमुख सचिव/ सविव, नगर विकास, उत्तराखण्ड शासन	-सदस्य
(i	v)	प्रगुख सचिव / सचिव, पंचायती राज, उत्तराखण्ड शासन	-सदस्य
6	v)	प्रमुख सविव/सविव, लोक निर्माण विभाग, उत्तराखण्ड शासन	-सदस्य
(vi)	प्रमुख सविव/सधिव, ऊर्जा, उत्तराखण्ड शासन	-सदस्य
6	vii)	प्रमुख सचिव/सचिव, पेयजल, उत्तराखण्ड शासन	-सदस्य
6	viii)	प्रमुख सचिव/सचिव, गाम्य विकास, उत्तराखण्ड शासन	-सदस्य
Ġ	ix)	सचिव/अपर सचिव, वित्त, उत्तराखण्ड शासन	-सयोजक

- (2) बैठकों की प्रक्रिया, जिसमें अन्तराल, गणपूर्ति आदि शामिल हैं, ऐसी होगी, जैसी समिति द्वारा स्वयं निश्चित की जाय।
 - (3) सथिति आवटित मदों / कार्यों की भौतिक एवं कितीय प्रगति का अनुअवण करेगी।
- (4) सम्बन्धित विभागों का यह दायित्व होगा कि वे निधि से समिति द्वारा उनके लिए आवंटित धनराशि का समुधित तपयोग करें जिसके लिए वे निरन्तर अनुश्रवण करेंगे और राज्य सरकार के वित्त विभाग को मासिक भौतिक एवं वित्तीय रिपोर्ट प्रेषित करेंगे।
- (5) समिति निधि के लेखों का उचित अनुरक्षण सुनिश्चित करेगी।
- लेखों के शीर्ष और वित्तीय प्रक्रियाएं-
- (1) अधिनियम के अधीन प्रवेश कर के उद्ग्रहण के आगम को लेखों के निम्नलिखित शीर्ष में जमा किया जायेगा, जैसी उत्तर प्रदेश माल के प्रवेश पर कर नियमावली, 1999 (उत्तराखण्ड राज्य में यथा प्रवृत) के अधीन व्यवस्था है:-

0040-बिक्री, व्यापार आदि पर कर।

102-राज्य वाणिज्य कर अधिनियम के अधीन प्राप्तियां।

05-उत्तराखण्ड माल के प्रवेश पर कर के अधीन प्राप्तियां।

01-केर सग्रह ।

02-प्रवेश कर के अधीन निबन्धन पर फीस।

(2) लेखा के उपयुंक्त शीर्ष के अधीन प्रवेश कर की कुल वार्षिक प्राप्तियों को उत्तराखण्ड व्यापार विकास निधि में बजट व्यवस्था के गाध्यम से राज्य सरकार के लोक लेखा के निम्नलिखित शीर्षों में विनियोग किया जायेगा :--

8229 विकास और कल्याण शिधि।

200-अन्य विकास और कल्याण निधि।

01-- उत्तराखण्ड व्यापार विकास निधि।

- (3) निधि से कार्यों के लिए बजट व्यवस्था वित्त दिमाग के अनुदान संख्या 07 में की जायेगी।
- (4) निधि के लेखों का अनुरक्षण महालेखाकार, उत्तराखण्ड और वित्त विमाग द्वारा किया जायेगा। समिति को समय-समय पर या जब अपेक्षित हो, उसके विषय में सूचित किया जायेगा।

- (5) निधि से अवंदित धनराशि का उपयोग समिति द्वारा अनुमोदित उद्देश्यों / मदौं के लिए किया जायेगा। यदि मदों के विमिन्न शीषों के अधीन आवंदित धनराशि को वित्तीय वर्ष की समाप्ति तक खर्च नहीं किया जाये तो अवशेष धनराशि को अम्यपित किया जायेगा और उसके सम्बन्ध में सूचना महालेखाकार, उत्तराखण्ड को उपलब्ध करायी जायेगी।
- (6) उत्तराखण्ड व्यापार विकास निधि की प्राप्तियां और खर्च महालेखाकार, उत्तराखण्ड द्वारा लेखा बही में रखे जायेंथे।
 - (7) निधि के लेखों की लेखा परीक्षा महालेखाकार, उत्तराखण्ड द्वारा की जायेगी।

आझा से

आलोक कुमार जैन, प्रमुख सचिव, वित्त।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 134/XXVII(8)/Vanijya Kar(VAT)/2009, dated February 26, 2009 for general information:

NOTIFICATION

February 26, 2009

No. 134/XXVII(8)/Vanijya Kar(VAT)/2009--In exercise of the powers conferred by clause (2) of Article 283 of the Constitution of India, read with sub-section (3) of section 14 of The Uttarakhand Tax on Entry of Goods into local Areas Act. 2008, the Governor is pleased to make the following Rules:—

THE UTTARAKHAND TAX ON ENTRY OF GOODS INTO LOCAL AREAS (FUND) RULES, 2009

1. Short Title and Commencement-

- (1) These Rules may be called The Uttarakhand Tax on Entry of Goods into Local Areas (Fund) Rules, 2009.
- (2) They shall come into force with immediate effect.

2. Definitions--

In these rules, unless the context otherwise requires--

- (a) "Committee" means the committee constituted under sub-rule (1) of rule 4;
- (b) "Act" means the Uttarakhand Tax on Entry of Goods into Local Areas Act, 2008;
- (c) The words and expressions used but not defined in these rules shall have the same meaning as assigned to them in the Act.

3. Utilization of fund-

- (1) The amount available in the Fund shall be utilized for the purposes provided under section 14 of the Act.
- (2) Interest accrued on the fund amount shall be included in the Fund and shall be utilized in accordance with sub-rule (1)

4. Manner of utilization of fund-

(1) The determination of the items and criteria of the utilization of the Fund shall be done by a Committee which shall be called the Uttarakhand Trade Tax Development Fund Managing Committee comprising the following.—

(ii) Principal Secretary, Uttarakhand —Chairman

(iii) Principal Secretary, Finance, Uttarakhand —Member

(iii) Principal Secretary/Secretary, Urban Development, Uttarakhand —Member

(iv) Principal Secretary/Secretary, Panchyatiraj, Uttarakhand —Member

- (v) Principal Secretary/Secretary, Public Work Department, Uttarakhand —Member
 (vi) Principal Secretary/Secretary, Energy, Uttarakhand —Member
 (vii) Principal Secretary/Secretary, Pey Jal, Uttarakhand —Member
 (viii) Principal Secretary/Secretary, Rural Development, Uttarakhand —Member
 (ix) Secretary/Additional Secretary, Finance, Uttarakhand —Convener
- (2) The procedure of the meetings inlouding interval and quorum etc, shall be such as determined by the Committee itself.
 - (3) The Committee shall monitor the physical and financial progress of the allotted items/works.
- (4) It shall be the responsibility of concerned departments to properly utilize the amount alloted for them from the Fund by the Committee for which they shall monitor and forward the monthly physical and financial report* to the finance department of the State Government.
 - (5) The Committee shall ensure proper maintenance of the accounts of the Fund

5. Heads of accounts and financial processes--

The proceeds of the levy of Entry Tax under the Act shall be deposited under the following heads of account as provided in The Ultar Pradesh Tax on Entry of Goods Rules, 1999 (as applicable to the State of Ultarakhand) —

0040-Tax on sale, trade etc.

102-Receipts under State Commercial Tax Act.

05-Receipts under Ulterakhand Tax on Entry of Goods.

01-Collection of tax.

02-Registration fees under entry tax

(2) The gross annual receipts of entry tax under the above heads of account shall be appropriated in the following heads of public account of the State Government through budget provision --

8229-Davelopment and welfare fund

200-Other development and welfare fund

01-Uttarakhand trade development fund.

- (3) Budget provision for works from the Fund shall be made in grant No. 07 of the finance department.
- (4) Monitoring of the fund accounts shall be done by the Accountant General, Uttarakhand and the finance department Information about it shall be given to the Committee from time to time or when required
- (5) The amount allotted from the Fund shall be utilized by the Committee for approved purposes/items. If the amount allotted under different heads of Account of the items is not utilized till the end of the financial year the balance amount shall be surrendered and information thereof shall be made available to the Accountant General. Uttarakhand
- (6) The receipts and expenditure of the Uttarakhand Trade Development Fund shall be kept in the books of accounts of the Accountant General, Uttarakhand.
 - (7) The audit of accounts of the Fund shall be done by the Accountant General, Uttarakhand

By Order

वित्त अनुमाग-9

अधिसूचना

13 मार्च, 2000 ई0

संख्या 155/27-9-2009/स्टाम्प-09/2009 आर0टी0आई0-सूचना का अधिकार अधिनियम-2005 (2005 का अधिनियम संख्या 22) की घारा 5 व 19 के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए श्री राज्यपाल स्टाग्प एवं मनौरजन कर विभाग के शासन स्तर हेतु निम्नांकित लोक प्राधिकारी इकाई के सम्मुख अकित लोक सूचना अधिकारी एवं अपीलीय अधिकारी को सूचना का अधिकार अधिनियम, 2005 के अनुपालन में लोक सूचना अधिकारी एवं अपीलीय अधिकारी के रूप में अधिराधित/नामित किये जाने की सहर्थ स्वीकृति प्रदान करते हैं:-

0190億	लोक प्राधिकारी इकाई	लोक सूचना अधिकारी	अपीलीय अधिकारी
1.	वित्त विभाग	श्री आर०आर० सिंह,	श्री एस०एस० विन्दया,
	(स्टाम्य एवं रिजस्ट्रेशन	अनु सिंघव,	उप सचिव,
	तथा गनोरंजन कर)	वित्त अनुमाग-9	वित्त अनुभाग-9

2-शासन की पूर्व अधिसूचना संख्या 267/XXVII(9)/श्टाम्प/2007, दिनाक 19 अक्टूबर, 2007, अधिसूचना संख्या 178/XXVII(9)/मनो०कर/2007, दिनाक 18 अक्टूबर, 2007 को इस सीमा तक संशोधित समझा जाय।

आज्ञा से,

आलोक कुमार जैन, प्रमुख सचिव।

कर्जा विभाग कार्यालय झाप 18 भार्च, 2009 ईंo

संख्या 744/1(2)/2009-05/13/2003-उत्तराखण्ड (उत्तरावल कर्जा विकास निधि नियमावली. 2004) अनुकृतन एवं उपान्तरण आदेश, 2007 में अग्रेत्तर संशोधन करने की राज्यपाल सहर्ष स्वीकृति प्रदान करते हैं :-

> उत्तराखण्ड (उत्तरांचल ऊर्जा विकास निधि नियमावली, 2004) (अनुकूलन एवं उपान्तरण आदेश, 2007) (संशोधन) नियमावली, 2009

1. संक्षिप्त नाम एवं प्रारम्भ--

- (1) इस नियमावली का सक्षिप्त नाम उत्तराखण्ड (उत्तराचल ऊर्जा विकास निधि नियमावली, 2004) (अनुकूलन एवं उपान्तरण आदेश, 2007) (संशोधन) नियमावली, 2009 है।
 - (2) यह राजपत्र में प्रकाशन की तारीख से प्रवृत्त होगी।
- 2. नियम 13 के उपनियम (1) व (3) को संशोधन-

उत्तरायल ऊर्जा विकास निधि नियमावली, 2004 (जिसे यहां आगे मूल नियमावली कहा गया है) में नीचे स्तम्भ—1 में दिए गए वर्तमान नियम, 13 के उपनियम (1) व (3) के स्थान पर स्तम्भ—2 में दिया गया नियम रख दिया जायेगा, अर्थात :--

रतम्म-1

(वर्तमान उपनियम)

13(1) निधि को अन्तरित समस्त धनराशि प्रशासनिक विमाग (कर्जा विमाग) द्वारा रखे गए व्ययगत न होने वाले पृथक लोक लेखा खाते (पी०एल०ए०) में रखी जायेगी जिसका रख-रखाव स्थापित नियमों के अनुसार किया जायेगा। पी०एल०ए० का शीर्षक 8443-सिविल जमा-800-अन्य जमा होगा।

(3) लोक लेखा खाते का संचालन शासन के ऊर्जा विमाय के अपर सचिव अथवा संयुक्त सचिव, जिसे राज्य सरकार इस निमित्त निर्दिष्ट करे, द्वारा किया जायेगा जो इस लोक लेखा खाते से घनराशि आहरित/चैक जारी करने के लिए प्राधिकृत किए जायेंगे! लोक लेखा खाते (पी०एल०ए०) से घनराशि आहरित/चैक जारी करने से पूर्व ऊर्जा दिमाग के प्रमारी सचिव से अनुभोदन प्राप्त किया जायेगा।

3. नियम 14 का अन्तःस्थापन-

14-

स्तस्म-1

(एतद्द्वारा प्रतिस्थापित उपनियम)

13(1) निधि को अन्तरित समस्त धनराशि प्रशासनिक विमाग (कर्जा विमाग) द्वारा लोक लेखा खाते (पी०एल०ए०) में रखी जायेगी, जिसका रख-रखाव स्थापित नियमों के अनुसार किया जायेगा तथा पी०एल०ए० का शीर्षक 8229-विकास तथा कल्याण निधि-110-विद्युत विकास निधि-(08-उत्तराखण्ड ऊर्जा विकास निधि) में जमा होगी। लोक लेखा खातें की धनराशि वित्तीय वर्ष के अन्त में व्यपगत (Lapsed) नहीं होगी, परन्तु पी०एल०ए० घारक प्राधिकारी द्वारा इस खाते का प्रतिवर्ष महालेखाकार सें नवीनीकरण कराया जायेगा।

(3) लोक लेखा खाते के संघालन हेतू, शासन द्वारा इस हेतु सृजित विशेष प्रकोष्ट के लिये नियत किये गये दिल अधिकारी अथवा इरला चैक के वित्त अधिकारी को नामित किया जा सकता है। उक्त दिल अधिकारी इस लोक लेखा खाते से धनराशि आहरित/चैक जारी करने के लिए प्राधिकृत किए जायेंगे। लोक लेखा खाते (पी०एल०ए०) से धनराशि आहरित/चैक जारी करने से पूर्व, ऊर्जा दिमाग के प्रमारी सचिव से अनुमोदन प्राप्त किया जायेगा।

मूल नियमाधली के नियम 13 के बाद एक नया नियम 14 अन्तःस्थापित कर दिया जायेगा, अर्थात —

14-निधि के लेखों एवं निधि से विभिन्न संस्थाओं को निर्गत की गई धनराशि के उपयोग एवं उसके सम्बन्ध में रखें गये लेखों की महालेखाकार द्वारा समय-समय पर सम्परीक्षा करायी जायेगी।

आज्ञा से.

प्रभात कुमार सारंगी, सचिव।

In pursuance of the provisions of Clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 744/I(2)/2009-05/13/2003, dated March 19, 2009 for general information.

OFFICE MEMORANDUM

Merch 19, 2009

No. 744/I(2)/2009-05/13/2003—The Governor is pleased to accord sanction to further amend the Uttarakhand (Uttaranchal Power Development Fund Rules, 2004) Adaptation and Modification Order, 2007.

THE UTTARAKHAND (THE UTTARANCHAL POWER DEVELOPMENT FUND RULES, 2004) (ADAPTATION AND MODIFICATION ORDER, 2007) (AMENDMENT) RULES, 2009

1. Short Title and Commencement-

- (1) These Rules may be called The Uttarakhand (The Uttaranchal Power Development Fund Rules, 2004) (Adaptation and Modification Order, 2007) (Amendment) Rules, 2009
 - (2) They shall come into force from the date of their publication in the official gazette.

2. Amendment of sub-rule (1) and (3) of Rule 13--

In the Uttaranchal Power Development Fund Rules, 2004 (hereinafter referred to in as Principal Rules) for the existing sub-rule (1) and (3) of rule 13 set out in Column-1 below, the sub-rule as set out in Column-2, shall be substituted, namely:—

Column-1

(Existing Sub-rules)

13(1) All the money transferred to the fund shall be kept in a separate non-lapsable P.L.A. Account maintained by the Administrative Department (Energy Department), the maintenance of which will be done as per established rules. The Head of P.L.A. shall be 8443-Civil Deposit-BOO-Other Deposit

(3) The P.L.A. Account shall be operated by the Additional Secretary or Joint Secretary of the Energy Department in the Government whom the Government so designate, who will be authorized to withdraw money/issue cheque out of the P.L.A. Account. Before withdrawal of money/issue of cheques, approval of the Secretary-in-charge of the Energy Department shall be taken.

3. Insertion of rule 14--

Column-2

(Sub-rules as hereby substituted)

13(1) All the money transferred to the fund shall be kept in Public Ledger Account by the Administrative Department (Energy Department), and will be deposited under P.L.A. heading 8229 Development and Welfare Fund-110-Energy Development Fund-(08-The Uttarakhand Power Development Fund), the maintenance of which will be done as per established rules. The amount in the Public Ledger Account shall not lapse at the end of the financial year, however, the Public Ledger Account holding authority shall get the Account renewed annually by the Accountant General.

(3) The Government may nominate the Account Officer appointed for the Special Cell for the purpose or the Account Officer of IRLA Cheque to operate the Public Ledger Account. The said officer shall be authorized to withdraw money/issue cheques out of this Public Ledger Account. Before withdrawal of money/issue of cheques out of the Public Ledger Account, the approval of the Secretary-in-charge of the Energy Department shall be taken.

A new rule 14 shall be inserted after rule 13 of the Principal Rules, Namely —

14. Periodical audit of the records, maintained for the money released to various institutions out of the Accounts and the Fund and its utilization shall be done by the Accountant General.

By Order

PRABHAT KUMAR SARANGI, Secretary.



सरकारी गजट, उत्तराखण्ड

उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की, शनिवार, दिनांक 11 अप्रैल, 2009 ई0 (चैत्र 21, 1931 शक सम्बत्)

भाग 1-क

नियम, कार्य-विधियां, आज्ञाए, विज्ञप्तियां इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के अध्यक्ष तथा राजस्व परिश्रव् ने जारी किया

कार्यालय, आयुक्त कर, उत्तराखण्ड (स्थापना–अनुमाग)

आदेश

25 गार्च, 2009 ई0

पत्रिक 4656 / आयु 0क0 जसरा0 / स्था0अनु 0 / 2008 - 08 / दे 0 दून - उत्तराखण्ड मूल्यवर्धित कर नियमावली, 2005 के नियम 3 के उपनियम 2 के अन्तर्गत प्रदत्त अधिकारों का प्रयोग करते हुए विज्ञानि संख्या 3883 / आयु 0क0 जसरा0 / वाणि 0 कर / स्था0अनु 0 / एफ - 46 / 08 - 09, दिनां के 07 - 02 - 2009 में संशोधन किया जाना आवश्यक होने के कारण आशिक संशोधन करते हुए असिस्टेंट किमेशनर, वाणि ज्य कर, मण्डल कार्यालय, कोटद्वार के अधिकार क्षेत्र की भौगोलिक सीमा को निम्न प्रकार अवधारित किया जाता है :-

1-असिस्टेन्ट कमिश्नर, वाणिज्य कर, मण्डल कार्यालय, कोटद्वार-

वर्रामान में मण्डल कार्यालय, कोटद्वार के लिए अवधारित समस्त कार्यक्षेत्र (तहसील यमकेश्वर के धमकेश्वर ब्लॉक को छोड़कर)।

25 मार्च, 2009 ई0

पत्रांक 4657/आयुं0क0उत्तरां0/स्था0अनुं0/2008-09/दे0दून-उत्तराखण्ड मृत्यविद्यंत कर नियमावली, 2005 के नियम 3 के उपनियम 2 के अन्तर्गत प्रदत्त अधिकारों का प्रयोग करते हुए विद्यप्ति संख्या 4250/आयुं0क0उत्तरां0/वाणि0कर/स्था0अनुं0, दिनांक 02-03-2009, में संशोधन किया जाना आवश्यक होने के कारण आशिक संशोधन करते हुए असिस्टेन्ट कमिश्नर, खण्ड-2, ऋषिकेश, असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-3, ऋषिकेश, कार्यालय के अधिकार क्षेत्र का निर्धारण एवं एतद् परिप्रेक्ष्य में असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-3, ऋषिकेश, कार्यालय के अधिकात्र की भौगोलिक सीमा को निम्न प्रकार अवधारित किया जाता है :-

1-असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-2, ऋषिकेश-

खण्ड १ अधिकोश के अधिकोत्र को छोडकर सहसील ऋषिकेश का शेष समस्त क्षेत्र दिहरी जिले की नरेन्द्र नगर सहसील का समस्त क्षेत्र एव पौदी गढ़वाल की तहसील यमकेश्वर का यमकेश्वर ब्लॉक का समस्त क्षेत्र।

2-असिस्टेन्ट कमिश्नर, वाणिज्य कर, खण्ड-3, ऋषिकेश-

टिहरी जिले का समस्त क्षेत्र (तहसील नरेन्द्र नगर व धनोल्टी को छोडकर)।

3-असिस्टेन्ट कमिश्नर, वाणिज्य कर. खण्ड कार्यालय, मसूरी-

जिला देहरादून की पशूरी तहसील के अन्तर्गत आने वाला समस्त क्षेत्र तथा जिला टिहरी गढवाल की तहसील धनोल्टी के अन्तर्गत काने वाला समस्त क्षेत्र।

उपरोक्त विक्रिप्त दिनांक 01-04-2009 से प्रमावी ध्रोगी।

बीठ केठ सक्सेना, प्रभारी आयुक्त, कर, उत्तराखण्ड।

Office of the Director General, Medical Health & F.W. (C. M.S.D. Section) Uttarakhand, Dehradun

Notification No. Equipment-2/2009 Rate Contract of Equipments

January 21 2009

No 15P/Store/Equ.p Pur/16/2008/2466-- in exercise of the power delegated in G.O. No. 246/Ch./3 2002 122/7002. Dated 6-01-2003 the rate contract of equipments mentioned in Annexure. Billis made with the firms mentioned in Annexure. A for supply in the State Government in Medical & Health Service Department for the period until the supply is salisfactory completed in accordance with the aforesaid only for RC and valid upto 31st March. 2009 of notification for the rate contract unit extended by a special order on the following terms & conditions.—

- The firms shall made supplies in manufacturers or gill a packing as indicated in column to for riame of make unless otherwise stated. The supplying firms will be required to clearly mention on the labie the name of the manufacturer.
- 2 The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods equipmate new and unused of the most recent or our entimodels as per specifications having no defect arising from design materials or work manship having no defect arising from design materials or work manship or form any fact or emission of the supplier.
- 3 Indening Officers are requested to make the 90% payment within 60 days after receipt of goods veritying 3 electrotrons of equipment unless they have valid reasons for withholding the same in which case the circumstances under which the payment is withhelded should be communicated to the Director General of Medical Health & F.W. Uttarakhand. Dehradun
- 4 Indexting Officers may place order direction the firms and copy to the manufacturing firms in case supplies are to be made through distributor along with a copy there of it is office.
- 5 Deductions from the bits of any should be made only after getting an explanation from the supplying firms about shortage or breakage within a month of receipt of goods from the supplying firms obtained in no case goods should be accepted without verification where there any doubt has arisen or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram followed by the supplier
- b indenting Officers are advised to return the duty free excise passes to the supplying firms duly received and signed at the earliest after receipt of goods.

- Where excise duty has been mentioned inclusively the firm will cert fy that excise duty claimed by them has actually been paid by them to Govt. Supplying firms will have to furnish a certificate along with the bill to the effect that excise duty claimed in the actual amount assessed by the Govt of india and is evyable during the period it has been claimed the supplier will also have to certify that the items on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8 Every care has been taken to see that rates quoted and approved have been correctly notified in the notification but in case any discrepancy either in rates or in specification or any nature in other details it will be the duty of the firm that they should intimate to the C M S D lunder registered cover latest within a month so that necessary action may be taken.
- The firms white sending the bits will certify that the rates charged are applicable and have also been approved by the C M S D and in case of any default they are prepared to make adjustments
- 10 The firms should also certify on the bills that the supplies are according to specifications AND THE MAKE APPROVED BY THE Director General Medical Health & F.W. Luttarakhand and are maccordance with the latest Rules & Regulations perfaing to that equipment to be use in the country.
- 11 The altention of the Indenting Officers is drawn to the various lets of items published by the firms it has been found that in some cases the firms include unapproved times in the rilists of approved items. It is respons billity of the Indenting Officer to consult the Gazette Notification before placking the actual order and see that the order for only approved items are places. Such cases of Misrepresentation should immediately be brought to the notice of Director General Medical Health & F.W. Littarakhand C.M.S.D. Dehradun sending copy of the list printed by the particular firms in case any firm is found of doing so istrict action will be taken against them and their names will be deleted from rate contract without any notice to them and in addition they may be debarred.
- 12. No assistance will be provided for release of the rawin later afor procruement of import Licence.
- 13 The Director General Medical Health & F.W. Uttarakhand (C.M.S.D.) Dehradun reserves the right to call Tender for Quantity contract
- 14 if will be condition of the contract that although during the currency of the contract the price approved in this rate contract arrangement will remain firm but however in the event of price going down the contractor shall promptly currish such information to enable this office to amend the contracted rates for supply at rate lower than the rate contract the artention of the firm is drawn to it.
- 16 Any sum of money payable to the contractor including the security deposit returnable to them under this contract may be forefelted by Director General Medical Health & F.W. Uttarakhand Dehradun and set of against any diam of the Governor and payment of a sum of money arising out of or under any other contract made by contractor with the Governor.
- 16 Director General Medical Health & F.W. Uttarakhand Dehradun or his authorized representative may inspect the premises of the manufacturing units to assess and verify that the items quoted as own made are actually manufactured by them.
- 17 A. supplies shall have to be made strictly confirming to approved specification in accordance with the atest approval.
- 18 If at any time during the said period of contract, contractor reduces sale price of such stares or seis such stares to any other person at price ower than the price chargable under the contract he shall forth with notify such reduction of sale to the Director General Medical Health & F.W. Uttarakhand Dehradun and the price payable under contract for the stores supplied at the price payable under contract for the stores supplied at the date of coming into force of such reduction of sale shall stand correspondingly reduced. The above stipulation will not however apply to
 - a exports by the contractor
 - bilisale of goods as original goods at a price lower than the price charged for normal replacement

- 19 The contractor shall furnish to the Director General Medical Health & F. ♦ Uttarakhand Dehradun at intervals mentioned below
 - a Within a month of commencement of the contract a cert ficate as to the rates prevaling of the commencement of the rates contract.
 - b With 1 a month of expiry of every six month a certificate as to the rates prevailing during preceding six months.
 - And at the end of the rate contract within a month of expiry of the contract a certificate on the following form:

I/We certify that the stores description indentical to the are supplied to Government under the contract here in have not been sold by us to any other person after the commencement of the rale contract during the period of the rate contract from 21 01 09 to 31st March 2009. At a price lower than the price charged to the Government under the contract for the quantity except of under Sub-clause (A) & (B) of para 10 above.

- 20 Supplies must be completed within time imit and started norder/issue of order, whichever is earlier from the indenting Officer under unavoidable circumstances in continuation of supply order a further period of one month can be granted for execution of supply order an sale description of indenting Officer falling which full information should be sent to this Directorate (CIMISID) section to take necessary action against the firm
- 21 The Indenting Officer as should give the supply order to the firm whose rates are lowest as mentioned in the enclosed Annexure. A if lowest quoting firm does not supply within state time from the date of saue of the order from Indenting Officer a further period can be extended up to first weeks. If the firm aftery for such extension, before the expiry of stated time giving valid satisfactory reasons. In Case of non-supply the names of such defaulting firm should be intimated to Government C.M.S.D. Section of the Oirectorate by registered post so that the necessary action agains, the firm will be taken
- 22 Full payment shall be made on complete installation checking & on satisfactory performance receipt of goods its checking etc. after 90 days from the date of installation & checking performance of goods by the indenting Officers.
- 23 In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family We fare Litterakha to Delirad in immediately for issuing necessary corrigendum in this regards and they will also charge the reduced rales from the Indenting Officers of the State in case such into marion is received from the contracting tilm that hey are selling terms approved in their tayour at the reduce rates either in open marke for any where also The Diet tor General Medical Health & F.W. Litterakhand Dehragun reserves the right to cancel the limes of entire contract finalized with them and to debar the firm from further tendering
- 24 in case supplies are found substandard for which part payment/full payment has been made the firm may be asked to replace them within the specified period. This howevel is the not replace them within the specified period. This howevel is the not replace them within the specified period. This howevel is the not replace them within the specified period. This howevel is the not replace the firm.
 Officer of the ector General Medical Health & F. W. Luttargk that for action against the firm.
 - in case firm factor epiace, the matter arequipment within the period specified by the Indenting Officer the firm shall refund the $f_{\rm sign}$ payment received by them forth with irrespective of the fact that the supplied terminary have been used for some time, they may in addition hable for action as period use of the agreement.
- 25 This contract shall exclusively be governed by the terms and conditions mantioned in this not fication the relevant conditions mentioned in the tender notice C M S D, tender form and relevant conditions then oried in the agreement form, sent to the firm alongwith acceptance letter separately, and agreements agreed by the firm.
- 26 The indenting Officers are advised to report the damages/defects noticed in supplies to suppliers for not fication repairs replacement, as the case may be within sixty day of the receipt installation/performance on the material failing which it will be their own responsibility.
- 27 In case of any complaint against the supplier for delay in supplies or defective supplies etc. The Indenting Officers are advised to report the matter to the Director General. Medical Health & F.W. Ultarakhand. Dehradun (C.M.S.D. Section, promptly for necessary action by registered post).

- 28 Supplies will have to be made F.O.R. destination by road/railway station in Ultraakhand by goods train as shown in atmosure. After order of Rs. 1000/-and above
- 29 The indenting Officers are requested to send the copy of the supply order to Sales Tax and income Tax authorities to enable them to keep watch on the payment of Taxes
- 30. A separate agreement regarding warranty/post warranty/CMC.AMC services will have to be signed by the supplier.
- 31 in case of any legal dispute the area of jurisdiction will be Uttarakhand on y
- 32 The Firm should deposit 10% of total cost of equipment item as Performance Guarantee in the form of Bank Guarantee in favour of indenting Officer valid upto 60 days after date of completion of performance obligation including warranty obligation.
- 33 Paid Comprehensive Maintenance Contract (CMC). Annual Maintenance Contract (AMC) wherever applicable will have being a divertible given period on the basis of previous performance of the firm in which minimum 3 mandatory visits are compulsory to produced at the time claim alongwith the 10% of Performance Guarantee of total contract value.

ANNEXURE A

Equipment-2/2009

Subject. Rate contract a rangement of equipment for the period from 21th January 2009 to 31th March. 2009

S No	Name of F rm	Telephone no.	F O R Destination
1	M/s Shree Chandra Maul: 101 Vasundhra Colony Tonk Road, Ja pur 302 108	0141-(R) 2705995 Fax no 0132-2860861 0141-2712085	F O R Destination
2	M/s SSMS (i) Pvt. Ltd F-2 industrial Area. Bhimtal, Nainta. 263136	05942-248138 247945 Fax no 05942-248138	-do-
3	M/s Kay & Co B-316 Phase t Okhia Industrial Ares New De hi-110 020	011-51708655 to 59 Fax no 011-51613432 51613433	-do-
4	M/s Meditronics Mfg. Co. Pvt. Ltd. 101 Shlv. ndustria. Estata, K.S.B. Marg. Chinchpokli Mumbai-12	022-23719143, 23771739 Fax no -23791272	-do-

Remark		
Rates	F.O.R. Destination	with 3 year AMC after 1 year warranty inc of all faxes
E	CMSD D Dun	
for 3 years Supplying Firm		Mis Kay & Co
or 3 years		Ju
	R. S.	394 00
Tares	SST	
E.	ED/Custom Dufy	
Rates per	47	96 - 586
Ť		
tem with Specification		SUCTION MACHINE.
<u>2</u> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

ANNEXURE A.1

Technical Specification

SUCTION MACHINE (Electric)

- 1 Ant. Corrosive Chassis & Stainless Steel Top
- 2 Noise level of suction apparatus from is 50 dB +/-03 dB
- 3 Electrica Requirement-220~240V 50Hz 1 Phase
- 4 Idea, for MTP/medical/surgical procedures
- 5 Rotary Vane Type Vacuum Pump with-740 +/-10 mm Hg
- 6 Free air displacement 40~60 itrs/m n
- 7 Heavy duty HN-65 ant static castors
- 8 320 Watt 1440 RPM 1/3H P Electric Motor or better
- 9 100 mm Vacuum Gauge
- 10. Non collaps bie Sillicon tubing
- 11 2 x 2 0 Liters or more Polycarbonate jars with overflow safety
- 12 Bacteria, filter fitted on top
- 13 St Marked Suction Machine
- 14 Quality Approved from Sureau of Indian Standards, New De h
- 15 The unit should confirm to BIS/IS /ISO/FDA/GE or equivalent

۹Ę.
46
Щ
-
\supset
ليز
I
O.
ÜΣ.

St. Item with Specification No.	È	Rates per untit	E .	Taxes		AMCCMC for 3 years	ANCONC Make/Brand/ for 3 years Supplying Firm		Rates	Remark
		ź	ED/Custom Duty	SST/	i S			CMSD D. Dun	F.D.R. Destination Rs	
WHOLE BODY ULTRA SOUND SCANNER	CANNER	7.65.00 10	٦٢	60	31800 00	С	0.010		8 26 800 00	
spec fication engiosod as Annexure A 1	esure A 1						Meditones		CMC after	
									warranty	
									IEXES	
				-						
_										

ANNEXURE A-1

Whole Body Ultrasound Scanner

1 No	Technical Specification
1	Multipurpose diagnostic Ultrasound Machine with compact trolley and backlit operating console
2	The enument should be suitable for whole body ,maging with full digital technology
3	The unit should have capability for diagnosing Abdominal Mascular OB/Gynac Cardiac & Orological applications
4	The unit should have various imaging modes of BIB/BM MIB/D imaging
5	Unit should have 256 grey scales
6	Unit should support convex linear/phassed array scanning modes
7	Hait should have minimum 3 ports connectivity
	System should be supplied with following Mull frequency broadband high density probes
	2.5 MHz frequency range Convex probe for general purpose abdomina. OB/gynac application
8	5. 10 MHz frequency range Linear probe for vascular ismail part, thyroid application
\$	unit should have high resolution medical grade monitor LCD Monitor of size not less than 14" 1 it. Swive
1()	Unit should have dynamic focusing it issue harmonic imaging digital transmit & beam forming for excellent made guality.
11	System should have reliable operating system with facility to upgrade through software
12	System should have USB connection for image transfer & lane networking capabilities
13	Unit should be upgradeable to Color Doppier imaging in future
14	System should have DICOM support & connectivity
15	The unit should confirm to BIS: SO/ISI/FDA/CE or equivalent
16	unit should provide with thermal Printer and on the UPS with one hour back up

Remark		
Rates	F.O.R. Destination Rs	with 3 year CMC after Tyear warranty mc of all laxes
8	CMSD D. Dun	
AMCCMC Make/Brand/ for 3 years Supplying Firm		Asteros 9000 pius NVs Meditronics
AMCICMC. For 3 years		בי
	rs &	00 7870
Taxes	SST	
F3)	ED/Custom Duby	
Rates per	Ą	1 62 00, 00
ð		
tem with Specification		(specification endosed as Annexure A-2)
ō Z		D _B

ANNEXURE A-2

Specification of Boyles Apparatus with Vapourizer

- Construction should be Tubular rigid, electro statically powder coated steel section.
- 2 Cy inder yokes should be Gas specific yokes with sliding stainless stee diamping bars for easy handling. Two each for oxygen and nitrous oxide cylinders.
- 3 Table top should be Starnless steel
- 4 Mobility Four large diameter anti-static castor wheels with ball bearings. Front castors have brakes.
- 5 Pressure gauges 3 each for oxygen and n trous ox de 2 for Cy inder pressure & 1 for Central Gas Supply
- 6 Central Gas Supply 1 connector each for Oxygen N trous Oxide & Air for connecting to Central Gas Supply
- Non-return cum-pressure release valve. Min mizes risk of back flow of gases, blows off when pressure exceeds 200cm of water column.
- 8 OF VD (Oxygen Fallure Warning Device Pneumatic device which activates audiable airam for minimum of 10 secs) when oxygen supply pressure falls to 205kPa.
- 9 Vapourizers Space to connect at least two vapourizers of choice. The unit should be supplied with Halothane vapourizer agent specific colour coded temperature, flow & pressure compensated with graduation from 0.5 to 6% hatothane, if recarbitation is required at any time it is halbe done free of cost by the company upto 5 years from the date of hatatation. During repair/carbitration, standby unit if required, will be provided.
- 10 Flowmeters 5 tube back ight flow meter to be provided with flow meters calibrated in double scare 02 & N20 alid single for Air Accuracy and clarity in reading 02 → 0.1 to 10 timin N20 →0.2 to 10 timin. Supplied flow meter should have inbut 1 Hypoxic guard.
- 11 Oxygen flush Emergency outlet for supply of 02 to patient
- 12 Circle absorber basy movable circle sysem (single or double chamber)
- 13 Easy open & close circuit switch should be available in the machine at convenient angle.
- 14 Accessories Rigid top tray for monitors
- 2 built in oxygen outlets (4.22 kg/cm²) for driving ventuators etc.
- 16 Space for ventilator
- 7 The unit should confirm to BiS/ISI/ISO/FDA/CE or equivalent
- 18 Accessories
 - (i) Mag if c rouit complete
 - (ii) Bain circuit complete (adult & paed)
 - (iii) Trolley should have 3 drawers
 - (v) Key spanner for A type cylinder 2 nos
 - (v) 1 1 5 & 2 lit antistatic rebreathing bag-1 each
 - (M) Face mask for adult & paediatric.

	ш	4
	_	
	-	÷
	_	3
	7	-
		3
	ш	4
	7	-
	7	=
۰	٤.	3

13 € So	Item with Specification	È	Rates per	F-	axes		AMCCINC for 3 years	for 3 years Supplying Firm	ž	Kalbş	Keman
			á	ED/Custom Duty	SST	CST Ps.	-\$ 5		CMSD D Dun	F.O.R. Destination Rs.	
i i	RADIANT HEAT WARMER Open Care System— Technical Specification		2699- 00			1,80,00	1510 00	Mrs Shree Chandra Madr		29 580 00 with 3 year CMC after 1 year warranty	
F SE	The unit should be fully micro computenzed system. The unit should have large bright displays to									ne of all	
EE S	monitor and for viewing from a distance. The unit should have double digital display system provided to measure the infanitemperature and to set the required.										
T T	temperature The unit should have Feather touch keys nonvided for easy operation										
if af	The unit should have Bar graph LEO system provided to ridicate the heater output. There should be provision for Manual control.										
y F	system The unit should have Fault indications with										
ter	alarm for Baby probe failure temperature high temperature low high										
5 0	temperature cut off power failure Baby probe is made of highly sensitive								·		
\$ 5	sensor and is interchangeable field calibration taken care of by software. The				_						
23	probe is made up of sucon sheathed cable which allows easy cleanted										
Ē	The large bady tray should be made of										
	staintess steel leane with upon side actyric to apsible was trendetenburg & lowler										
8	system provided										
E .	there should be provision for a natiogen-										
Ė.	The Single element should be ceremic										
	heather (ISACE/FLA or Equivalent Approved)							•			
ä.	placed in a parabolic renector										

тет.	tem with Specification	È	Rates per	Ţ	Taxes		AMCICIMC for 3 years	AMCCMC Make/Brand. for 3 years Supply ng F mi	¥ 7	Rates	Kemark
				FD/Custom	SST/	CST			CMSD D. Dun	FO.R. Destination	
There should be provision froylinder. The unit should provide with The unit should provide with The unit should provide with The unit should provide more physical parameters. Matt Length 700mm, Width 60 Thickness 50mm. Working level from ground Baby tray is tit angle on eith +4 5deg max. Castons - 100mm with 2 branch-brake wheels. Recommended Environmer Temperature range. 20 deg Storage temperature Probe - 7 Temperature Probe - 7 Storage temperature Probe - 8 Accuracy +4-0.2 deg C fo 38 deg C in makeusi mode (Continous Obsasvation Light Heidgen based power requirements specification. The heater power continual Electrical Safetty As per P.C60601 1.2 for make unit should continuato CE or equivalent.	There should be provision for keeping oxygen cylinder. The unit should provide with IV stand. The unit should provide monitor fray. The unit should provide monitor fray. Physical parameters. Mattress Length. 700mm, Width 600mm. Thickness Somm. Working level from ground 1020mm. Haby tray is tit angle on either side. 4-5deg max. Ceastors. 100mm with 2 brake wheels and 2 non-brake wheels. Recommended Environmental Specifications. Temperature range. 20 deg. C. 630 deg. C. Storage Imperature Probe. Storage Imperature Probe. Storage 28 deg. C to 38 deg. C. Coping C. 0. 600 deg. C. 1000 deg. deg. C. 1000 deg.										

NSTRUMENT STERILIZER ELECTRIC (big) 1. Confirming to 15 5022 1989 with fatest amendments 2. Electrically heated bouer, disinfections by boiling th antiseptic solution of surgical instruments synge/glass & china ware 3. Fully automatic temperature controlled by thermostat 4. Single lever fitted of liid and tray 5. Stainless steer construction. The whole body and all the accessones should be SS. 6, Complete with safety cable, plug & socket and perforated by 7. Unit filled with heat resistant witing and lihermar cut off. 8. All handles and globs shall be ussulated.	Duty	SSTI CST	M/s SSMS	CMSD D.Dun	F.O.R. Destination Rs	
STRUMENT STERILIZER ELECTRIC (big) Confirming to 15 5022 1989 with fatest amendments Electrically heated bover, disinfections by boiling in antiseptic solution of surgical instruments syringe/glass & china ware Fully automatic temperature controlled by thermostat Single lever fitted of iid and tray Stainless steer construction. The whole body and all the accessones should be SS. Complete with safety cable, plug & socket and perforated by Unit fixed with heet resistant witing and illermar cut off.		00	M/s SSMS		3	
					2 901 00	
					laces	
						_
					,	
		_				
9 Fitted with drain out connection		_				
10 Power supply 220-240 VAC, 50 Hz		_				
11 Sze-610 mm (length)x 230mm (width) x 170mm (depth)		_				
12 in addition to other instruments the stentizer shall also accommodate cheatte forceps						
13 Equipment must conform to relevant Electrical, safety and general standard for Medical equipment as per IS 8607						

Remark				_		_						_		
Rates	F.O.R. Destination Rs	1 OUS OD Inc of a	taxes											
<u>x</u>	CMSD D. Dun											_		
AMCICANO Make/Brandr for 3 years/Supplying Firm		MsssWS												
AMCICMC for 3 years														
	CST													
Taxes	SST/ VAT Rs	41.00												
L	ED/Custom Duty													
Rates per und	UI CE	102F 3c												
ŝ														
Item with Specification		B P INSTRUMENT (stant)	(Sphymomanometer with (stand))	3 5mm glass tube	Measuring scope 0.300 mmHg	Sub-division 2mm Hg	Ассывсу + Запинд	Salety on-off knob for mercury	Adult size cotton cuff with D-bar and artery indicator, jabe	Standard talex two-tube bladder and nitating bulb	Two-piece stain ess steet stand column adjustable from 105-146 cm	5 piece castors with brakes	10. Aluminium body	11 The unit should be ISI/BIS certified
No.		-		4-	N	ri	च	10	Φ	7	40	6	10	=

Selection Sele	Si No.	item with Specification	à	Rates per unif	FO.	Taxes	AMCCINC for 3 years	AMCCMC Make/Brand for 3 years Supplying Firm		Rates	Remark
Sphymomanometer] S99 or 24.91 Wrs SSMS S91 S93 or 24.91 S93 or 24.92 S94 or 24.92 S9				00,	ED/Custom Duty		Ts		CMSD D Dun	FO.R Deatination Rs	_
Sphymomanometer] 3 form glass tube Measuring scope D-302 minhig Sub-division 2mm Hg Acturacy + 3mm Hg Acturacy + 3mm Hg Safety on off knob for mercury Adult size coltion ouff with D-bar and antery Adult size coltion ouff with D-bar and antery Adult size coltion ouff with D-bar and antery Adult size coltion off with D-bar and antery Sandard: alex two-lube bladder and Inflating bu-b Box type slumminum body with lock facility Quish button type Color gray The unit should be S/BIS certified The unit should be S/BIS certified	-	B P INSTRUMENT (Table)		599.00		72.01		MAN COME		623 00 Inc. of all	
Sentry glass (ube Masauring scope 0.300 mmHg Sub-division 2 fram Hg Accuracy + 3mmHg Accuracy + 3mmHg Accuracy + 3mmHg Adult size cotton cuff with 0-ber and artery right size cotton cuff with 0-ber and artery right size to workube bladder and inflating bush Box type aluminium body with lock facility (push button type) Color gray The unit should be Size certified		[Sphymomanometer]) MOO 0 0 10 10 10 10 10 10 10 10 10 10 10 10		(axes	
Measuring scope 0-300 minhig Sub-division 2mm Hg Accuracy + 3mmHg Accuracy + 3mmHg Accuracy + 3mmHg Adult size cotton cuff with D-bar and antery Adult size cuff with D-bar an	-	3 6mm gass tube									
Sub-division 2 rain Hg Accuracy + 3mmHg Safety on-off knob for mercary Adult size cotton cuff with D-bar and artery Adult size cotton cuff with D-bar and artery adicator abel Standard alex two-tube bladder and inflating bush Box type aluminium body with lock facility (push button type) Color gray The unit should be S/BIS certified	est.										
Accuracy + 3mmHg Safety on-off knob for mercury Adult size cotton cuff with D-bar and artery ndicator abet Standard silex two-tube bladder and inflating bub Box type eliminium body with lock facility (push button type) Color gray The unit should be S /BIS certified	en	Sub-division 2mm Hg				_					
Safety on-off knob for mercury Adult size cotton cuff with D-bar and artery ndicator abel Standard: alex two-tube bladder and inflating bub Box type aluminium body with lock facility (push button type) Color gray The unit should be S7BIS certified	4	Accuracy + 3mmHg									
Adult size cotton ouff with D-bar and artery naticator abel Standard Below but be bladder and inflating but both button type) Color gray The unit should be S /BIS certified	'n	Safety on-off knob for mercury									
Standard: elex two-tube bladder and inflating bub. Box type aluminium body with lock facility (push button type) Color gray The unit should be S /BIS certified	Ф	Adult size cotton cuff with D-bar and artery ndicator: abel									
Box type slummum body with lock facility (push button type) Color gray The Limit should be S /BIS certified	P-	Standard latex two-tube bladder and prifating bush							_		
The unit should be S /BIS certified	10	Box type aluminium body with lock facility (push button type)									
	CO										
	F	The unit should be S7BIS certified					_				
								*			

15 %	item with Specification	ê	Rates per unit	1	Taxes		AMC/CMC for 3 years	AMCCMC Make/Brand/ for 3 years Supplying Firm		Rates in Rs)	Remark
5			Są.	ED/Custom Dufy	SST/	25			CMSD D. Dun	F.O.R. Destination Rs.	
	PATIENT EXAMINATION COLCH		7995 CC		3 6 0			M s Sruee Chandra Mauli		8 314 00 nc of ar taxes	
ž	Mr. mum overall dimension										
-	Overall size 6.5 feet L x 2 feet Wx 4 feet M Backrest size 450mm Lx 510mm W										
ప	Construction										
PR .	Couch should have gas spring assisted adjustable backnest with uphorstered top										
6.3	Upper section with three drawers Lower section has three cabinets with three doors, swinging tray for BP Apperatus										
7 1	Fipish										
4	Table top should be made with SS										
HD .	The top should be minimum 25mmSs sheet										
60	Alt M S components should be epoxy coated 50 microns										
~	Conforming to BIS standards 4033 or equivalent										
								٠			

Rеmark								
Raires	F.O.R. Destination Rs	566 00 Inc of a *axes						
DĒ.	CMSD D Dun							
AMCCMC Make/Brand. for 3 years Supplying Firm		M & SSMS						
AMC/CMC for 3 years								
	CST							
S S	SST. VAT	20 02						
Taxes	ED/Custom Duty	10						
Rates per	S.	545 3.						
ð								
ltem with Specification		FOOT STEPS (Two)	Overall height of the step shall be 43.18 cms	Making approximately 22.86 cms for bottom step and approximately 20.32 cms for the second step, the two steps shabe with six legs fabricated aid of 25 mm. Die MS pipe and using Dia 16mm pipe for cross supports.	The steps top two nos of size 22 86cmsx 50cms out of 185wg sheet welded properly and fitted with aluminium tread fast/rubber mat sheet	Epoxy coated and legs are provided with plastic shoes. The above product should conform to applicable ISO/IS /BIS slandard in respect of materials, weiding test & performance.	Tubular frame 25 m diameter gauge 16. Top of the steps should be covered by rubber mat	
S S				2	m	4 41	Ø	

Remark								
Ratre	FO.R Destination Rs	112300 nc of a taxes						
ů.	CMSO D Dun							
AMCCMC Nake Brand, for 3 years Supplying Firm		Mr. Shree Chandra Maul						
AMCJCMC for 3 years								
	CST							
72%05	SST/ VAT Rs	43 00						
F	ED.Custom Duty				_			
Rates per unit	æ	1080 00						
Š								
Item with Specification		OVER BED TABLE	Overall size 1050 mmx 350 mmx 100 mm	Table top size 860 mm (t.) x 370mm(B) fixed height	Tubular steel frame work with water proof aminated top 450 mm	Swiveling casters	Pre freated epoxy powder coated	Equ prient should conform applicable (SI/BIS standard in respect of materials welding last and performance
				2	m3	ক	49	φ

% 2	Item with Specification	ਣੇ	Rates per unit	Īâ	Takes		AMCCIMC for 3 years	AMCCMC Make/Brands or 3 years Supplying Firm	Œ	Rates	Remark
			25	ED/Custom Duty	SST/ VAT Rs	CST			CMSD D. Dun	F.O.R. Destination Rs.	
	HARD BED		44P. D.		Ç. 3.			M/s 55Mp		4 595 00 Inc. of a	
-	Size 2090 +4.5mm ± 810+7.5mm × 600+4.									e de la composition della comp	
54	Top Two section							•			
23	Back rest adjustable on a ratchet										
4	Head bow 1050+/-5 mm										
PÚ)	f bot bow 820+ .5 mm										
Ø	Rubber faet										
<u> </u>	Provision for four rods IV road and mosquito net poles				<u> </u>						
80	Materials CRCS sheets 16 gauge on top bow packet 12 G CRCS sheet frame rectangular tube 60 x 30 x 16 base thickness. Horzonia bar 19x38x16. Bench real horzonial 50x25x16 round tube bow-3 to 7 diameter x 18 gauge.									-	
a	Preheated and powder coated						-				
10	10 Load test 200 kg										
=	11 Should provide with mattress of leather foam water proof 50mm thickness brown in colour with zip at one end										
4.	12 Should provide with pillows with double cover, inner cotton outer covered with rexine with zip or one side and the filling material 600gms polygell										
₩ ₩	13 Eq. pment should conform applicable ISI/B S standard in respect of materials, werding, lest and performance.							*	-		

Notification No. Equipment-1/2009 Rate Contract of Equipments

January 03, 2009

No 15P/Store/Equip Pur/16/2008/242—In exercise of the power delegated in GiO. No. 1246/Ch. 3-2002 122 2002. Dated 6-01 2003 the rate contract of equipments mentioned in Annexure. B is made with the firms mentioned in

Annexure A for supply in the State Government in Medica & Health Services Department for the period until the supply is satisfactory completed in accordance with the aforesaid only for RC and valid upto 31s. March 2009 of notification for the rate contract unit extended by a special order on the following terms & conditions.

- 1 The firms shall made supplies in manufacturers or ginal packing as and cated in column 5 for name of make unless other wise stated. The supplying items will be required to clearly ment on on the lable the name of the manufacturer.
- 2 The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods equip are new and unused of the most recent or current models as per specifications having no defect arising from design materials or workmanship having no defect and ng from design materials or workmanship to form any fact or emission of the supplier.
- 3 Indenting Officers are requested to make the 90% payment within 60 days after receipt of goods verifying the conditions of equipment unless they have valid reasons for with holding the same in which case the circumstances under which the payment is withheided should be communicated to the Director General of Medical Health & F.W. Utlarakhand, Dehradun.
- 4 Indenting Officers may place order direction the firms and copy to the manufacturing firms in case supplies are to be made through distributor along with a copy there of the this office.
- 5 Deductions from the bits if any should be made only after getting an explanation from the supplying firms about shortage or breakage within a month of receipt of goods from the supplying firms obtained in no case goods should be accepted without verification where there any doubt has arised or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram followed by the supplier
- 6 Indenting Officers are advised to return the duty free excise passes to the supplying firms duly received and signed at the earliest after receipt of goods.
- 7 Where excise duty has been mentioned inclusively the firm will certify that excise duty dial med by them has actually been paid by them to Govt Supplying firms will have to furnish a certificate along with the bill to the effect that excise duty claimed in the actual amount assessed by the Govt of indial and slievyable during the period it has been claimed the supplier will also have to certify that the tems on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8 Every care has been taken to see that rates quoted and approved have been correctly notified in the not fication but in case any discrepancy either in rates or in specification or any nature in other details it will be the duty of the firm that they should intimate to the CIMISID funder registered cover latest within a month so that necessary action may be taken.
- 9 The firms while sending the bills will certify that the rates charged are applicable and have also been approved by the C M S D and in case of any default they are prepared to make adjustments.
- 10 The firms should also certify on the bills that the supplies are according to specifications AND THE MAKE APPROVED BY THE Director General Medical Health & F.W. Uttarakhand and are in accordance with the latest Rules & Regulations pertaining to that equipment to be use in the country.

- The attention of the indenting Officers is drawn to the various lists of tems published by the firms it has been found that in some cases the firms include unapproved items in their lists of approved items is responsible by of the indenting Officers to consult the Gazette Notification before packing the actual order and see that the order for only approved items are places. Such cases of Misrepresentation should imitted ately up brought to the notice of Director General Medical Health & F.W. Utta akhand (C.M.S.), Dehrad in sending copy of the list printed by the particular firms in case any firm is found of doing so istrict action will be taken against them and their names will be deleted from rate contract without any notice to them and in addition they may be debarred.
- 2. No Assistance with se provided for release of the raw material or procurement of Import Licence.
- 3 The Over in General Medica: Health & F.W. Uttarakhand (C.M.S.D.) Dehradun reserves the right to call Tender for Quantity Contract.
- 14 It will be condition of the contract that a though during the currency of the contract the price approved in this rate contract arrangement will remain firm but however in the event of price going down the contract shall promptly furnish such information to enable this office to amend the contract edirates for 5 paints and or than the rate contract the attention of the firm is drawn to it.
- 15 Any sum of it oney payable to the contractor including the security deposit returnable to them under wis contract movilie foreferied by Director General Medical Health & F.W. Uttarakhand Dehradun and set of against all yiclaim of the Governor and payment of a sum of money arising out of or under any other contract made by contractor with the Governor.
- 16 Director Gelleral Medica Hearth & F.W. Litterakhand Dehradun or install horized representative may respect the premises of the manufacturing units to assess and verify the their signored as own made are actually manufactured by them.
- 17. All supplies shall have to be made strictly confirming to approved specification in accordance with the latest approval.
- 18 fia any time during the sard period of contract contractor reduces sale; rice of such stares or selections stares to any oriented period of contract he sharp stares to any oriented period contract he sharp forth with notify such reduction of sale to the Director General Medical Health & F.W. Uttarakha id. Declaration and the price payable under contract for the stores supplied at the price payable under the price of such reduction of sale shall stand correspondingly reduced. The above stipulation will not however apply to-
 - all exports by the contractor
 - bill also gaind las original goods at a price lower than the price charged for hormal replacement.
- 19 The Little Commish to the Director General Medica Health & F.W. Ultarakhand Dehradun at Tervols mantioned below -
 - With it all north of commercement of the contract a certificate as to the rares prevailing of the commencement of the rates contract.
 - to with a more that expiry of every six month a certificate as in the rates prevaing during praceding six months.
 - And at the end of the rate contract within a month of expiry of the contract a certificate on the following form: —
 - We cart by that the slores description indentical to the are supplied to Government under the confract here in have not been sold by us to any other person after the commencement of the rate contract during the period of the rate contract from 3rd January 2009 to 31st March 2009. At a pice lower than the price charged to the Government under the contract for the quantity except of under Sub clause (A) & (B) of para 10 above.
- 20 Supplies must be completed within time limit and started in order issue of order (whichever is earlier, from the indenting Officer Under unavoidable circumstances in continuation of supply order a further period of one month can be granted for execution of supply order an sale description of indenting Officer falling which full information should be sent to this Directorate (C.M.S.D.) section to take necessary action against the firm

- 21 The indenting Officer should give the supply order to the firm whose rates are lowest as mentioned in the enclosed Annexure. All flowest quoting firm does not supply within state time from the date of ssue of the order from indenting Officer a further period can be extended to four weeks if the firm apply for such extension before the explicy of stated time giving valid satisfactory reasons. In Case of non-supply the names of such defaulting firm should be intimated to Government C.M.S.D. Section of the Directorate by registered post so that the necessary action against the firm will be taxen.
- 22 Full payment shall be made on complete installation checking & on satisfactory performance receipt of goods its checking etc. after 90 days from the date of installation & checking performance of goods by the Indenting Officers.
- 23 In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family Welfare Luttarakhand. Dehradun immediately for issuing necessary corrigendum in this regards and they will also charge the reduced rates from the Indenting Officers of the State in case such information is received from the contracting firm that they are selling terms approved in their favour at the reduced rates either in open market or any where also. The Director General Medical Health & F.W. Litarakhang Dehradun reserves the right to cancel the itmes of entire contract finalized with them and to debar the firm from further tendering.
- 24 in case supplies are found substandard for which part payment/full payment has been made the firm may be asked to replace them within the specified period this however shall not debar. Indenting Officer of Director General Medical Health & F. W. Uttarakhnad for action against the firm
 - In case firm fails to replace the material requipment within the period specified by the indenting Officer. The firm shall refund the full payment received by them forth with irrespective of the fact that the supplied terminal have been used for some time, they may in addition, able for action as period is of the agreement.
- 26 This contract shall exclusively be governed by the terms and conditions mentioned in his notification, the relevant conditions mentioned in the lender notice C M S D tender form and relevant conditions mentioned in the agreement form (sent to the firm alongwith acceptance letter separately) and agreements agreed by the firm.
- 26 The indenting Officers are advised to report the damages/defects not declin supplies to suppliers for not fination repair replacement, as the case may be within 5 xty day of the receipt installation, perform ande on the material failing which it will be the nown responsibility.
- 27 in case of any complaint against the supplier for delay in supplies or defective supplies excited and anting Officers are advised to report the matter to the Director General Medical Health & F.W. or arakhalid Dehradun (C.M.S.D. Section promptly for necessary action by registered post.)
- 28 Supplies will have to be made F.O.R. destination by Road Railway Station in ultarkhand by goods rain as shown in annexure. A for order of Rs. 1000/-and above
- 29 The indenting Officers are requested to send the copy of the supply order to Sales Tax and income Tax authorities to enable them to keep watch on the payment of Taxes.
- 30 A separate agreement regarding warranty-post warranty/CMC/AMC services will have to be signed by the supplier.
- 31 in case of any Legal Dispute the area of Jurisdiction will be Litterakhand only
- 32 If he Firm should deposit 10% of total cost of equipment/item as Performance Guarantee in the form of Bank Guarantee in favour of Indenting Officer valid upto 60 days after date of completion of performance obligation including warranty obligation.
- 33 Paid Comprehensive Maintenance Contract (C.M.C., Annual Maintenance Contract. A.M.C.) wherever applicable will have be paid yearly after the given period on the basis of previous performance of the firm in which minimum 3 mandatory visit is compulsory to produced at the time dial minimum to a mandatory visit.

ANNEXURE A

Equipment-1/2009

Subject. Rate contract arrangement of equipment for the period from 3rd January, 2009 to 31rd March, 2009.

SI No	Name of Firm	Telephone Na.	F O R Destination	
1	M/s Shree Chandra Mauli 101, Vasundhra Colony, Tonk Road, Jaipur 302 108	0141-(R) 2705995 Fax no 0132-2660861 0141-2712085	FOR Destination	
2	M/s Samiksha Industries E-11 Nehru Colony	0135-2668018 Fax no: 0135-2668018	-do-	•
3	M/s SSMS(i) Pvt, Ltd F-2 industrial Area Bhimtal, Nainita -263136	05942-248138, 247945 Fax no 05942-248138	-do-	

	4	•
ı	1	4
-		d
,	-	2
I		9
ļ	Ŀ	d
		-
	-	
1	u	ŋ

Viginal V			
Kates	F.O.R Destination Rs	6 170 00 nc of an taxes	
X	CMSD D Dun		
Make/Brandr Supplying Firm		M/s Shree Chandra Mauti	
3 years			
	5		
Taxes	SST, VAT	180 001	
Ta.	ED/Custom Duty		
Rates per	ů	5880 00	
ò			E # APPX 69 E PPK S
item with Specification		FULL FOWLER BED	Overall Omennion 2150-2200mm L * 900-950mm Wx 800-625mm H The bed frame measuring size 2070 mm L * 910mm W approximately should be made from rectangular tube of minimum size 60 mm x 30 mm x 16 SWG I should house four section top made from pressed bent uniform y perforated 16 G CRCA sheet The backrest section and the leg rast section should be made from 3 side. The second section should be subported on MS rectangular tube. Thigh section should be made from 25mm x 5mm MS flats welded with 122 mm thick CRCA sheet The backrest section and the thigh section should be adjusted by screw machanism, separately. The backrest and thigh section should support screw bracket in rest section. The leg rast section should be adjusted or three different inclinations on restend fait 30mm x 55mm x 55mm x 25mm x 2 00mm provided in the backrest and brigh rest section. The leg rast section should be adjusted or three different inclinations on restend fait 30mm x 55mm x 55mm x 25mm x 12 mm ERW tubes SS Shating handle it should have tubular horizontal support of 26 mm x 12 mm ERW tubes SS Shating handle it should have tubular thorizontal support of 26 mm x 41 2 mm ERW tubes both bows shab be welded with bow brackets on which main fame of the bed shalf be boilted.
	O)		- 0 0

Кетал								
Rates	F.O.R. Destination			•				
ď	CMSD D. Dun							
Make/Brandr Suppying Firm								
3 years		1						
ļ	S	1	•					
9782	SST/							
	ED/Custom Duty							
Kates per unit								
5								
tem with Specification		There shourd provision to haid mosquito curtain poles. The bed should be littled with 100 mm Dia castor wheels two with break and two without breaks socketted inside ERW vertically tube of head bow and leg bow. The bed should have provision to hold time bag.	All metal components should be thoroughly pre-treated chemically in eight tank pre-treatment system. The I eated metal surface should then be coaled with white Epoxy Polyester Power with penul film thickness of 50 microns of more and oven banked at 180 degree to 200 degree.	Both head and teg boes should be of the 31.75 mm Dia 18G ERW tubes	Both bows one horzon(a) and four vertical tubular supports the head bows and leg bow are 1057 mm (+/.5mm) and 820mm (+/.5mm) height respectively	Should provide with mattress of leather foam water proof 50 mm thickness brown in colour with zip at one end	Should provide with pillows with double cover inner cotton, puler covered with rexine with zip on one side and the filling mater at 600gms payged	10 Shold conform applicable 'SO//SI/BIS standard in respect of matenals, welding & performance
		4	9	0	 	RČ:	o	10

s o o	llem with Specification	ਰੇ	Rates per	T.	Taxes		AMC for 3 years	Make/Brand/ Supplying Firm	tiť	Rates	Remark
			Rs	F.D/Custom Duty	SST VAT	CST			CMSD D Dun	FO.R Destination Rs.	
	wear and fear of screw mechanism and a low mechanism to rolate freely										
8	The material used should be of minimum of ERW min 60 mm x 16 G and 40 mm x 20 mm (16 G mm x 16 G and 40 mm x 20 mm (18 G linckness) rectangular tubes Min 31 75 mm (18 G FRW) tube for egs Stainless steel min 31 75 mm x 18 G tube for head leg and bows Backrast section with 25 4 mm (14 G tube) and min thickness CRCA steel sheet Leg rest section with min 25 4 mm x min 18 G thickness CRCA steel										
6.5	Saline Rod-Stainless steet telescopic saine rod of micron 12 mm Dia should be adjustable in stainless stee Tuburar socket and should be locked with knob inside it should be quoted in optional										
4	Mattress-10 cm thick mattress-Folly covered with high quality leather foam and should be starn free										
AD	Finish-All M S component should be epoxy coated at east 50 micran										_
9	Should provide Waterproof rubbes mattress (antiseptic) of minimum 50mm thickness										
Ps	Should provide with mattress of leather foam water proof 50mm this kness brown in colour with zip at one end										
60	Should provide with pillows with double cover imper notion buler novered with zeroe with zeroe with zeroe and the faining material 600gms polyger									_	
EÚ3	Conforming to ISO/B S standards 4033 or equivalent										

1		È	Rales per un t		Taxes	3 years	Make/Brand Suppying Firm		Rates	Remark
			82	ED/Custom Duty	SST/ CST VAT Rs	la la		CMSD D Dun	FO.R. Destination Rs	,
	CUSHION SEAT & back		H94 00		2100		M.s Shree Chandra Mauli		714 00 Inc of a taxes	
41	1 Height of the seat 43-44 cms from the floor kevel	Joo				_				_
N.	2 Seat size 48x43 (length and breadth)	_				_				
M	 Heighl of the chair from the ground to the top of the back rest 81-83 cm 	4r								
4	4. Seal and backrest to be cushioned with minimum 5 cms thickness									
-iD	5 The material used for the cushion is to be cleanable and washable	<u> </u>								_
9	5 Provide hand rest with 30mm custion									
<u> </u>	7 Angle of the back rest to be comfortable									
pò.	8 Surface to be smooth with fine finish									
on	9 Chair should be fully rust proof									
_	10 It should be sturdy									_
	11 If should conform ISIASO series certification									

SCHEDULE IN

E
Rs Duty VAT
1235 OC B 44.

Remark	F.O.R. Destination Rs.	2 513 00 no of all axes			-							
Rates		2 513 00 inc of all taxes										
	CMSD D. Dun											
MakerBrand. Supplying Firm		Mrs Stinee Chandra Maufi		_								
AMC for 3 years												
	25											
Taxes	SST// WAT	73 00					-1					
	ED/Custom Duty											
Rates per unit	Ž.	2440 00										
ĝ				40	-	=					to	
Item with Specification		OFFICE TABLE (Normal)	Height should be 30"	in the right side there should be 3 drawers	The drawers and the box should be odependenly tockable with pre-taminated	Tubular frame 25m diameter gauge 16 with a cross bar for foot rest	Should provide three set of keys	The table top size 4' x25'	The table top should be minimum 1 inch thick with pre laminated high quality water proof board	Table should be stand on four nylon bush	All other parts should be chemically treated and apoxy powder coated with minimum 50 migrons	10 Conforming to 1SO/BIS standards 4033 or equivalent
			-	61	(9)	4	a)	9	P-	æ	an	0

44
-
AL.
5
Ó
şe.
Ξ.
Ü
.1

No.	tem with Specification	ð	Hales per Unit		2000		3 years	Make/Brand. Supp ying Firm	Z	Rates	Kemark
			\$	F.Dr.Custorn Duty	SST/ VAT Rs	CST			CMSD D Dun	FOR Destration Rs	
	STEFL ALMIRAH (Small)		2830 00	ı	85 00 @ 3%			MsShær (Pandra Mau		2 944 00 nc of a taxes	
Size											
= 81	Heght 128 Jm miles ve o perrestal hegg!! Width 76rm										
n e	Jepth 45.m Three adjustable shelves forming four compartments										
aD .	Pretreated quality CRCA steet conforming to iS-513 Gr D Quaity, 22 SWG for body										
10	and shalves and 22 SWG for the doors Epoxy polyester powder coated of 50 missons dry film thickness and oven baked										
	at a uniform femperature of 180 to 200 degree fiels as										
h-	The footrest should be made up of Anti- Rust Sleet and properly fixed to the bottom										
E)	of the aim rah. All stee components would have										
	mult bend construction to be done with										
C	tack welding to ensure rigidity and strength. Three way bother degree which rater works.										
	body at the top and the bottom with the help										
	a tongue-ingrove mechanism plus a 6 lever unbickable lock to be made of chrome										
	plated non-ferrous metal alloy to be										
	suffered by Hall shaped full heigh is seen sufferiers shot-weiged to the back of the										
	doors										
2 ;	Colour of the A mash should be Grey										
-	The apprepriate Standard in respect of	_									
-	materials weiting test & performance										
24								,			
ſ	000 שלייטס	_						,			

	ĝ.	unt unt	l a	SST	CST	3 years	Make/Brand, Supplying Firm	CMSD	Rates C F.O.R.	Remark
_		R 3.	Duty	¥ã.				D Dum	Destination	
STEEL ALMIRAH (Standard)		4723.90		142.0			M.s. Smee		4 861 00 inc of ar	
Heldh: 220 cm (inclusive of pedestal										
Four adjustable shelves forming 5										
Pretreated quality CRCA stent conforming										
to IS-513 Gr D. Quarty, 22 SWG for body										
and shelves and 22 SWG for the doors										
Encountries of the City of the doctor										
Expery pulyeases powers coared on an experi-										
at a uniform temperature of 180 to 200				-						
The footrast should be made up of Anti-										
Rust Sleet and properly fixed to the bottom										
										_
All steel components would have										
multiband construction to be done with										
lack welding to ensure ngidity and strength										
Three way boiling device which offer locks										
body at the top and the bottom with the help										
a tongue ingrove mechanism plus a hilleyed										
unpickable lock to be made of shrome										
plated non-ferrous metal ayov to be										
shipping he has shaned to heart sheet										
sufference and weekled to the back of the										
Color of the Almirah Should be Grey										
The above product should conform to										
abolicable (S. standard in respect of										
materials welding lest & performance										
Conforming to B S standards 4033 or										
							•			_

Hem with Specification Oty	y Rates per	Ę.	TAKES		AMC for 3 years	Make/Brand. Supply ng Firm	砼	Rates	Remark
	\$	ED/Custom Duty	SST/	CST			CMSD D Dun	FO.R Destination Rs	
	2990 00	ı	36 00 00 3%			M/s Shree Chandra Mauli	1	3 080 00 Inc of au taxes	
With drop side raits. Overatt size 145cm (L) x 80 cm W x 50 cm (H)			-						
MS sheet top both bows of 105 cm herght with 1 horizontal support and 8 vertical supports of mosquito nel hoses			·						
Full length drops side raits pretreated an epoxy powder coated									
Should provide with matthess of leather foam, water proof 60mm thickness, brown in colour, with 2tp at one and									
Should provide with pillows with double cover inner colton outer covered with rexine with zip on one side and the filling materia. 600 gms polygell									
Equipment should conform appareable 1St/ BIS standard in respect of materials welding test and performance									

SCHEDULF A

50 %	tem with Specification	È	Rates per	(a)	axes	Z 171	AMC for	Make/Brand/ Supplying Firm	Ka 1	Rates	Хещат
			2	E.D/Custom Duby	SST/ VAI	55			CMSD D. Dum	F.O.R. Destination Rs.	
	EXAMINATION TABLE (2 Fold)		2575.07		47.2 Di			M s Samiksha		2 897 00 inc of all faxes	
-	Over all size 18 30 mm x 550 mm x 850 mm to fold back rest adjustable on ratchet										
På	Top fitted with 5 cm thickness mattress covered with water proof rubber mattress (antiseptic) of minintum 50 mm thickness										
47	Tubular frame work Itted					_					
4	legs with subber shoe									_	
40	Examination table should be pre-treated apony powder coated of 50 micross dry film thickness										
ф	Adequate support to be provided to the top as well as to legs							_			
-	Table top should be two sectional of MS sheel										
Φ	Sequipment should conform applicable (SI/BIS stendard in respect of materials, welding, lest and performance										
								•			

Remark				
Rates	FO.R. Destination Rs.	2,475,00 Inc. of all taxes		
ăž	CMSD D. Dun	1		
Make/Brand/ Supplying Firm		M/s Samiksha		
AMC for 3 years		1		
	CST	i		
axes	SST/ VAT Rs.	275.00		
Ta	ED/Custom Duty	1		
Rates per unit	Rs	2200.00		
ŧ			> 7 7 7	
Item with Specification		OFFICE RACK	1. Height-90 to 100 cm (inclusive of pedestal height) 2. Width-85cm to 95cm 3. Depth-45cm to 95cm 4. One adjustable shelves forming two compartments 5. Pretreated quality CRCA steel conforming to 15-513 Gr D. Quality 20/22 SWG for the doors to 15-513 Gr D. Quality 20/22 SWG for the doors on 15-513 Gr D. Quality 20/22 SWG for the doors on 15-513 Gr D. Quality 20/22 SWG for the doors on 15-513 Gr D. Quality 20/22 SWG for the doors on 15-513 Gr D. Quality 20/22 SWG for the doors on 15-513 Gr D. Greek factily for the doors should be lock factily for the doors should be lock factily for the doors should be made up of Anti-cons dry film thickness and oven baked at a uniform temperature of 160 to 200 degree Ceistus 10. The footrest should be made up of Anti-colour of the rack 11. All steel components would have multi-bend construction to be done with fact welding to ensure nigidity and strength	applicable ISI standard in respect of materials, welding, test & performance 14 At the top there should be 1" thick pre-laminated water proof board with PVC lipping. 15 Conforming to BIS standards 4033 or equivalent.
No.		Size	- 0 m 4 m m r m m 5 t 5 t 5 t	4 7

Kemark			
Rates	F.O.R. Destination Rs.	613.00 Inc. of all taxes	
R. 1	CMSD D. Dun		+
Make/Brand/ Supplying Firm		Sanwsha	
AMC for 3 years		1	
	CST	T.	
Taxes	SST/ VAT Rs.	68.00	
Ta	ED/Custom Dufy	i e	
Rates per unit	RS	545.00	
O.			
tem with Specification		STOOL (Revolving) Top diameter 300mm(+/-5mm) Height adjustment from 480mm to 680mm standard cure. If should be welded to central pipe should be welded to central pipe should be welded to central pipe should be welded to standard cure. If should be welded to sy fibs and its edges should be beaded to avoid sharp edges. It should be supported on the strongthen by ribs and its edges should be beaded to avoid sharp edges. It should be supported on the strong form by ribs and its edges should be beaded to several the centre of the four TPL square threaded screw should be riveled, this in the centre of the four TPL square threaded screw should be riveled, this screw turns in the threaded out of the base screw turns in the threaded out of the base threaded screw should be riveled, this screw turns in the threaded out of the base threaded screw should be riveled, this screw turns in the threaded out of the base of the materials used to be as follows. Stanliess Steel Tubular frame of 1" x 18 GMS pipe Tubular frame of 1" x 18 GMS pipe Tubular frame of 1" x 18 GMS pipe Stainliess Steel All components should be thoroughly pretreated chemically	12. The treated metal surface should be then coated with epoxy polyester powder with paint film thickness of 50 microns or more and oven baked. 13. The above product should conform to application (5) standard in respect of materials, welding process, test and performance.
		- M M M M M M M M M M M M M M M M M M M	5 5

Remark		1
Rates	F.O.R. Destination Rs.	1,456.00 Inc. of all taxes
2	CMSD D. Dum	j.
Make/Brand/ Supplying Firm		M/s SSMS
3 years		
	cst	
Taxes	SST/ WAT RS.	8 8 8
E.	ED/Custom Duty	
Rates per unit	22	400.00
É		
Item with Specification		Length: 400-405 mm, width: 400-406 mm, height: 810-820 mm. The budsde demeler of the legs of the locker should be 25.4 mm and thickness of 1.22 mm. Thickness of the top should be 1 mm. S. sheet of 20 G is bent, edge beaded and superimposed of M.S. top. Top should be 1 mm. S. sheet of 20 G is bent, edge beaded and superimposed with press bent stainless steel top. This top should have back and both sides bent upward for acting as guardrall and the front side should be bent downward. Top edge of the lockers should be bent and pressed to 180 degree to prevent sharp edge. Legs of the lockers are weided to the top and sides of the cabinet from and sides. The top and sides of the cabinet shuld be made from 1 pieces of the cabinet shuld be made from 1 pieces of the steel sheets. It should be weided with the back and the bottom which are also made from press bent sheet. Doors: door of the cabinet-should be made from CRCA sheet of 1 mm thickness press bent to required size. Door should be made from the regimet sheet of 1 mm thickness press bent its closed 10 pard bottom of the cabinet its closed 10 pard bottom of the door of the cabinet to he cabinet should be acting as the hinges to allow door to swing to maximum of 120 degree (the door of the cabinet to prevent the cabinet to the cabinet the cabinet the cabinet the door of the cabinet the cabine
		- N N T

-pc
-

P. L. JOSHI,

पीठएसठयूठ (आरठडूं०) 15 हिन्दी मजट/204-माम 1-क-2009 (कम्प्यूटर/सेजियो)।

मुद्रक एवम् प्रकाशक संयुक्त निदेशक, राजकीय मुद्रणालय, सत्तराखण्ड, रुडकी।